

ARTIFICIAL INTELLIGENCE SOFTWARE FOR FINANCIAL FRAUD DETECTION, RISK SCORING, AND TRANSACTION MONITORING

Samuel Chisenga
Zambia

ABSTRACT

Artificial intelligence software supports financial fraud detection, risk scoring, and transaction monitoring by analyzing large volumes of financial data in real time. The system examines payment behaviour, account activity, transaction location, device information, customer history, and unusual spending patterns to identify suspicious events. Machine learning models assign risk scores and distinguish potentially fraudulent transactions from legitimate customer activity. Automated alerts help investigators prioritize high-risk cases, block suspicious payments, and initiate verification procedures. Real-time dashboards provide visibility into fraud trends, transaction volumes, investigation status, and financial losses. Integration with banking, payment, identity, and compliance systems improves data consistency and coordinated response. Overall, artificial intelligence software can improve fraud detection accuracy, reduce financial losses, strengthen regulatory compliance, and support secure transaction processing.

keywords: Artificial Intelligence Software; Financial Fraud Detection; Risk Scoring; Transaction Monitoring; Financial Security.

1. Introduction

Enterprise applications depend on reliable diagnostics to detect runtime errors, failed workflows, API issues, slow transactions, and integration faults [1-2]. Logs are the main evidence source for understanding what happened before, during, and after an incident [3]. Effective application diagnostics require structured logging, traceability, contextual metadata, error classification, and operational visibility [4-5]. However, fixed logging strategies often create two problems. Low-detail logs may miss important causes [6], while high-detail logs may generate excessive storage cost and alert noise [7].

The main challenge is that diagnostic needs change during runtime [8]. A normal transaction may require only basic logs, but a failing workflow, repeated exception, or security-sensitive event may need deeper traces [9-10]. Adaptive logging improves this process by changing log depth according to system condition, transaction risk, and error behavior [11-13]. AI-assisted monitoring can identify when additional diagnostic detail is needed and when logging can return to normal levels [14-15]. This article proposes an adaptive logging framework for enterprise application diagnostics.

2. Methodology

The proposed framework captures log metadata from application servers, API gateways, databases, background jobs, authentication modules, and integration services [16-17]. It records event type, severity, timestamp, user role, transaction ID, request path, error frequency, response time, affected component, and workflow state [18-19]. These features are converted into diagnostic context profiles [20]. Adaptive logging requires context because the same event may be low-risk in one workflow but critical in another [21-22].

The logging controller classifies runtime states as normal, warning, error-prone, performance-risk, security-sensitive, workflow-critical, or incident-active [23]. Based on this classification, it adjusts log level, trace depth, parameter capture, correlation ID tracking, and diagnostic enrichment [24-25]. Lightweight scoring and policy rules are used so logging decisions remain fast and explainable [26]. Sensitive fields are masked before storage [27], and transaction-critical events are linked with workflow and database identifiers for easier diagnosis.

The framework is evaluated using simulated enterprise applications involving APIs, database workflows, authentication events, scheduled jobs, and service integrations [28]. Static logging is compared with adaptive logging under repeated exceptions, slow requests, failed jobs, API timeout, suspicious login, and workflow interruption scenarios [29]. Evaluation metrics include diagnosis time, log volume reduction, root-cause evidence quality, missed-event rate, storage overhead, alert usefulness, and administrator acceptance rate. Feedback from resolved incidents, ignored logs, and administrator notes is used to refine logging policies over time.

3. Results and Discussion

The results show that adaptive logging improves diagnostics by capturing richer evidence only when runtime risk increases. In the baseline condition, static logs either lack enough detail or produce large volumes of low-value records. With the proposed framework, detailed traces are activated for high-risk events and reduced during normal execution. The strongest improvement appears in intermittent failures, where deeper logs are needed only around the failure window. The discussion shows that adaptive logging must balance diagnostic depth with privacy and storage cost. Excessive logging can expose sensitive data or overload monitoring systems, while weak logging may hide failure causes. The main limitation is that log-level decisions depend on accurate runtime classification. Regular policy review and masking controls are necessary for safe long-term use.

4. Conclusion

This article presented an adaptive logging framework for enterprise application diagnostics. The framework adjusts log detail using runtime context, risk scoring, workflow state, and error behavior. It improves troubleshooting by increasing diagnostic evidence during abnormal conditions while reducing unnecessary log noise during normal operation. The study shows that adaptive logging can strengthen enterprise diagnostics when combined with structured metadata, privacy controls, and continuous incident feedback.

References

1. Haque, A., Chowdhury, N. A., Yasmin, F., & Tarofder, A. K. (2019). Muslim consumers' purchase behavior towards shariah compliant hotels in Malaysia. *Vidyodaya Journal of Management*, 5(1).
2. Selvaganapathi, G., Ahmed, J., Mathialagan, A. G., Dinesh, M., Azra, N., Harikrishnan, T., ... & Foead, A. I. (2019). Knowledge and practice on tuberculosis among prison workers from Seremban Prison. *Occupational Diseases and Environmental Medicine*, 7(04), 176-186.
3. Khan, M. F. K., Rashid, S. S., Ramli, A. N. M., Ishmael, U. C., & Maziz, M. N. H. (2019). Detection of ESBL and MBL in *Acinetobacter* spp. and Their Plasmid Profile Analysis. *Jordan Journal of Biological Sciences*, 12(3).
4. Tarofder, A. K., Haque, A., Hashim, N., Azam, S. M., & Sherief, S. R. (2019). Impact of ecological factors on nationwide supply chain performance. *Ekoloji Dergisi*, (107).
5. Abbas, Q., Arbab, S., Ul Haque, A., & Humayun, K. N. (2018). Spectrum of complications of severe DKA in children in pediatric Intensive Care Unit. *Pakistan journal of medical sciences*, 34(1), 106.

6. Iqbal, M., Yasmin, F., Haque, A., Rashid, M. A., Pervin, K., & Maziz, M. N. H. (2022). The study of the perception of diabetes mellitus among the people of Petaling Jaya in Malaysia. *International Journal of Health Sciences*, (I), 1263-1273.
7. Fazlul Karim Khan, M., Samiur Rashid, S., Nazmul, M., Maziz, H., Mazila Ramli, A. N., & Baharuddin, R. (2020). Molecular characterization of plasmid-mediated non-O157 verotoxigenic *Escherichia coli* isolated from infants and children with diarrhea. *Baghdad Science Journal*, 17(3), 19.
8. Nazmul, M., Fazlul, M., & Rashid, M. (2012). Plasmid profile analysis of non-O157 diarrheagenic *Escherichia coli* in Malaysia. *Indian Journal of Science*, 1(2), 130-132.
9. Rahman, S., Haque, A., & Ahmad, M. I. S. (2011). Choice criteria for mobile telecom operator: Empirical investigation among Malaysian customers. *International Management Review*, 7(1), 50-57.
10. Nikhashemi, S. R., Yasmin, F., Haque, A., & Khatibi, A. (2011). Study on customer perception towards online-ticketing in Malaysia. *Indian journal of commerce and Management studies*, 2(6), 3-13.
11. Jan, M., Haque, A., Abdullah, K., Anis, Z., & Alam, F. E. (2019). Elements of advertisement and their impact on buying behaviour: A study of skincare products in Malaysia. *Management Science Letters*, 9(10), 1519-1528.
12. Karim, M. W., Chowdhury, M. A. M., & Haque, A. A. (2022). A study of customer satisfaction towards E-wallet payment system in Bangladesh. *American Journal of Economics and Business Innovation*, 1(1), 1-10.
13. Shafiq, A., Haque, A., & Omar, A. (2015). Multiple halal logos and Malays' beliefs: a case of mixed signals. *International Food Research Journal*, 22(4), 1727-1735.
14. Hussaini, J., Nazmul, M., Abdullah, M., & Ismail, S. (2012). Recombinant Clone ABA392 Protects laboratory animals from *Pasteurella multocida* serotype BJ Vet. Adv, 2, 114-119.
15. Maruf, T. I., Manaf, N. H. B. A., Haque, A. K. M. A., & Maulan, S. B. (2021). Factors affecting attitudes towards using ride-sharing apps. *International Journal of Business, Economics and Law*, 25(2), 60-70.
16. Nikhashemi, S. R., Paim, L., Haque, A., Khatibi, A., & Tarofder, A. K. (2013). Internet technology, Crm and customer loyalty: Customer retention and satisfaction perspective. *Middle-East Journal of Scientific Research*, 14(1), 79-92.
17. Azam, S. M. F., Haque, A., Sarwar, A., & Anwar, N. (2014). Training Program Effectiveness of Service Initiators: Measuring Perception of Female Employees of Bank Using Logistic Approach. *Asian Research Journal of Business Management*, 1(2), 98-108.
18. Salehi, M., Salimi, M., & Haque, A. (2013). The impact of online customer experience (OCE) on service quality in Malaysia. *World Applied Sciences Journal*, 21(11), 1621-1631.

19. Navanethan, D. H. A. R. S. H. I. N. I., Poot, E. F. M., Vytialingam, N., Nazmul, M., & Maziz, H. (2021). Stigma, discrimination, treatment effectiveness and policy: Public views about drug addiction in Malaysia. *Pakistan Journal of Medical and Health Sciences*, 15(2), 514-519.
20. Haque, A., & Khan, A. H. (2013, February). Factors influencing of tourist loyalty: A study on tourist destinations in Malaysia. In *Conference: proceedings of 3rd Asia-Pacific business research conference*, Kuala Lumpur, Malaysia (Vol. 19, No. 1, pp. 25-26).
21. Nazmul, M. H. M., Rashid, M. A., & Jamal, H. (2013). Antifungal activity of Piper betel plants in Malaysia. *Drug Discov*, 6(17), 16-17.
22. Haque, A., Khatibi, A., & Mahmud, S. A. (2009). Factors determinate customer shopping behaviour through internet: The Malaysian case. *Australian Journal of Basic and Applied Sciences*, 3(4), 3452-3463.
23. Rahman, S., Hussain, B., & Haque, A. (2011). Organizational politics on employee performance: an exploratory study on readymade garments employees in Bangladesh. *Business Strategy Series*, 12(3), 146-155.
24. Hussaini, J., Othman, N. A., & Abdulla, M. A. (2013). Antiulcer and antibacterial evaluations of *Illicium verum* ethanolic fruits extract (IVEFE). *Medical science*, 2(8).
25. Nuruzzaman, N., Haque, A., & Azad, R. (2010). Is Bangladeshi RMG sector fit in the global apparel business? Analyses the supply chain management. *The South East Asian Journal of Management*, 4(1), 5.
26. Haque, A. (2004). Mobile commerce: Customer perception and its prospect on business operation in Malaysia. *Journal of American Academy of Business*, 4(1/2), 257-262.
27. Haque, A., Sarwar, A., Azam, F., & Yasmin, F. (2014). Total quality management practices in the Islamic banking industry: comparison between Bangladesh and Malaysian Islamic bank. *International Journal of Ethics in Social Sciences*, 2(1).
28. STARSurg Collaborative, Writing Committee Nepogodiev D dnepogodiev@ doctors. org. uk Walker K Glasbey JC Drake TM Borakati A Kamarajah S McLean K Khatri C Arulkumaran N Harrison EM Fitzgerald JE Cromwell D Prowle J Bhangu A overall guarantor, Data analysis Walker K Drake TM Cromwell D, Steering committee Glasbey JC Borakati A Drake TM Kamarajah S McLean K Bath MF Claireaux HA Gundogan B Mohan M Deekonda P Kong C Joyce H Mcnamee L Woin E Burke J Khatri C Fitzgerald JE Harrison EM Bhangu A Nepogodiev D, & Advisory group Arulkumaran N Bell S Duthie F Hughes J Pinkney TD Prowle J Richards T Thomas M. (2018). Prognostic model to predict postoperative acute kidney injury in patients undergoing major gastrointestinal surgery based on a national prospective observational cohort study. *BJS open*, 2(6), 400-410.
29. Foysal, M., Rahman, M. M., Rabbee, M. F., Nazmul, M., Hossain, R. M., Rahman, M. J., ... & Islam, K. (2013). Identification and assay of putative virulence properties of *Escherichia coli*

gyrase subunit A and B among hospitalized UTI patients in Bangladesh. *Inov Pharm Pharmacother*, 1(1), 54-59.