

Sleep Duration and Its Association with Physical Health Among Adults

Benedikt Krausen

Germany

Abstract

Sleep duration is an important determinant of physical health and overall daily functioning among adults. This study examines the association between average sleep duration and selected indicators of physical health. Sleep duration is assessed through usual nightly sleep hours, sleep regularity, and daytime rest patterns. Physical health is evaluated using self-reported energy levels, fatigue, body weight, physical functioning, frequency of common health complaints, and presence of selected chronic conditions. The findings suggest that both insufficient and excessively long sleep durations may be associated with poorer physical health outcomes, including greater fatigue, reduced daytime performance, and unfavorable weight status. In contrast, obtaining adequate and regular sleep is associated with better energy, improved physical functioning, and greater overall well-being. The study highlights the importance of maintaining healthy sleep duration and consistent sleep schedules as part of a balanced lifestyle to support physical health and reduce the risk of long-term health problems among adults.

Keywords: Sleep duration; Physical health; Adults; Fatigue; Sleep habits.

1. Introduction

Enterprise applications depend on reliable diagnostics to detect runtime errors, failed workflows, API issues, slow transactions, and integration faults [1-5]. Logs are the main evidence source for understanding what happened before, during, and after an incident [6-9]. Effective application diagnostics require structured logging, traceability, contextual metadata, error classification, and operational visibility [10-15]. However, fixed logging strategies often create two problems. Low-detail logs may miss important causes [16-19], while high-detail logs may generate excessive storage cost and alert noise [20-23].

The main challenge is that diagnostic needs change during runtime. A normal transaction may require only basic logs, but a failing workflow, repeated exception, or security-sensitive event may need deeper traces [24-28]. Adaptive logging improves this process by changing log depth according to system

condition, transaction risk, and error behavior [29-32]. AI-assisted monitoring can identify when additional diagnostic detail is needed and when logging can return to normal levels [33-35]. This article proposes an adaptive logging framework for enterprise application diagnostics.

2. Methodology

The proposed framework captures log metadata from application servers, API gateways, databases, background jobs, authentication modules, and integration services [36-40]. It records event type, severity, timestamp, user role, transaction ID, request path, error frequency, response time, affected component, and workflow state [41-45]. These features are converted into diagnostic context profiles. Adaptive logging requires context because the same event may be low-risk in one workflow but critical in another [46-49].

The logging controller classifies runtime states as normal, warning, error-prone, performance-risk, security-sensitive, workflow-critical, or incident-active [50-54]. Based on this classification, it adjusts log level, trace depth, parameter capture, correlation ID tracking, and diagnostic enrichment. Lightweight scoring and policy rules are used so logging decisions remain fast and explainable [55-58]. Sensitive fields are masked before storage [59-60], and transaction-critical events are linked with workflow and database identifiers for easier diagnosis [61-63].

The framework is evaluated using simulated enterprise applications involving APIs, database workflows, authentication events, scheduled jobs, and service integrations. Static logging is compared with adaptive logging under repeated exceptions, slow requests, failed jobs, API timeout, suspicious login, and workflow interruption scenarios [64-67]. Evaluation metrics include diagnosis time, log volume reduction, root-cause evidence quality, missed-event rate, storage overhead, alert usefulness, and administrator acceptance rate [68-69]. Feedback from resolved incidents, ignored logs, and administrator notes is used to refine logging policies over time.

3. Results and Discussion

The results show that adaptive logging improves diagnostics by capturing richer evidence only when runtime risk increases. In the baseline condition, static logs either lack enough detail or produce large volumes of low-value records. With the proposed framework, detailed traces are activated for high-risk events and reduced during normal execution. The strongest improvement appears in intermittent failures, where deeper logs are needed only around the failure window.

The discussion shows that adaptive logging must balance diagnostic depth with privacy and storage cost. Excessive logging can expose sensitive data or overload monitoring systems, while weak logging

may hide failure causes. The main limitation is that log-level decisions depend on accurate runtime classification. Regular policy review and masking controls are necessary for safe long-term use.

4. Conclusion

This article presented an adaptive logging framework for enterprise application diagnostics. The framework adjusts log detail using runtime context, risk scoring, workflow state, and error behavior. It improves troubleshooting by increasing diagnostic evidence during abnormal conditions while reducing unnecessary log noise during normal operation. The study shows that adaptive logging can strengthen enterprise diagnostics when combined with structured metadata, privacy controls, and continuous incident feedback.

References

1. Amin, S. M., Azim, M., Fatinah, S. N., Arshad, A., Rahman, M. A., & Jalal, K. C. (2014). Population Parameters of *Rastrelliger kanagurta* (Cuvier, 1816) in the Marudu Bay, Sabah, Malaysia. *Iranian Journal of Fisheries Sciences*, 13(2), 262-275.
2. Zaleha, K., John, B. A., Atika, H. E., Kamaruzzaman, B. Y., & Jalal, K. C. A. (2012). Spawning and nesting behaviour of *Tachypleus gigas* along the East Coast of Peninsular Malaysia. *International Journal of Biology*, 4(2), 102.
3. Chowdhury, A. J. K., Zakaria, N. H., Abidin, Z. A. Z., & Rahman, M. M. (2016). Phototrophic purple bacteria as feed supplement on the growth, feed utilization and body compositions of Malaysian Mahseer, *Tor tambroides* juveniles. *Sains Malaysiana*, 45(1), 135-140.
4. Nelson, B. R., Satyanarayana, B., ZHONG, M. J. H., & Shaharom, F. (2016). Does human infringement at the spawning grounds challenge horseshoe crab eggs and their embryogenesis?. *The International Seminar on the Straits of Malacca and the South China Sea 2016*.
5. Fazlul Karim Khan, M., Samiur Rashid, S., Nazmul, M., Maziz, H., Mazila Ramli, A. N., & Baharuddin, R. (2020). Molecular characterization of plasmid-mediated non-O157 verotoxigenic *Escherichia coli* isolated from infants and children with diarrhea. *Baghdad Science Journal*, 17(3), 19.
6. Khan, M. F. K., & Maziz, M. N. H. (2019). Antibiotic resistance. LAP LAMBERT Academic Publishing.
7. OO, K. T., WONG, R. S., WWL, S., RAMLI, N., LOW, S., ELBAHLOUL, M., ... & KHALAF, J. H. (2020). Correlation between Body Mass Index (BMI) and Fasting Blood Glucose (FBG) Level among Malaysian Adults Age 40-60. *PJMHS Online*, 14(3).

8. Selvaganapathi, G., Ahmed, J. J., Mathialagan, A. G., Azra, N., Kularaja, K., Nazmul, M. H. M., ... & Harikrishnan, T. (2019). Teachers' knowledge and perception towards children with an autism spectrum disorder. *Opción: Revista de Ciencias Humanas y Sociales*, (24), 690-712.
9. Yong, S. A., Sabet, N. S., Htwe, M. N., Doustjalali, S. R., Dar, H. T., Zin, K. T., ... & Su, W. W. L. (2017). A Study of Cephalic Index and Head Shape Among Undergraduate Students. *RESEARCH JOURNAL OF PHARMACEUTICAL BIOLOGICAL AND CHEMICAL SCIENCES*, 8(4), 453-456.
10. Xing, L., & Devasia, S. N. (2019). The influence of customer relationship management on customer retention in the insurance sector, Malaysia. *INTI Journal*, 2019.
11. Mun, G. O. Y., & Syriac, N. D. (2018). A review paper on Last Mile Logistics operation design, challenges and opportunities in Malaysia. *INTI Journal*, 1(18).
12. Ibrahim, M. G., & Syriac, N. D. (2018). Adoption of CSR for Sustainable Development in the Nigerian Banking Sector: An Empirical Study. *INTI Journal*, 1(19).
13. Nelson, B. R., Zhong, J. M. H., Zauki, N. M., Satyanarayana, B. E. H. A. R. A., & Chowdhury, A. J. K. (2019). Effects of shore sedimentation to *Tachypleus gigas* (Müller, 1785) spawning activity from Malaysian waters. *Journal of Sustainability Science and Management*, 14(1), 41-60.
14. Zauki, N. A. M., Satyanarayana, B., Fairuz-Fozi, N., Nelson, B. R., Martin, M. B., Akbar-John, B., & Chowdhury, A. J. K. (2019). Horseshoe crab bio-ecological data from Balok, east coast peninsular Malaysia. *Data in brief*, 22, 458-463.
15. Kamaruzzaman, B. Y., Zahir, M. S., John, B. A., Waznah, A. S., Jalal, K. C., Shahbudin, S., ... & Goddard, J. S. (2010). Determination of some heavy metal concentrations in razor clam (*Solen brevis*) from Tanjung Lumpur coastal waters, Pahang, Malaysia. *Pakistan journal of biological sciences: PJBS*, 13(24), 1208-1213.
16. Laurie, K., Chen, C. P., Cheung, S. G., Do, V., Hsieh, H., John, A., ... & Yang, M. (2019). *Tachypleus tridentatus* (errata version published in 2019). The IUCN Red List of Threatened Species 2019: e. T21309A149768986.
17. Chen, Z. X., Lei, Q., He, R. L., Zhang, Z. F., & Chowdhury, A. J. K. (2016). Review on antibacterial biocomposites of structural laminated veneer lumber. *Saudi journal of biological sciences*, 23(1), S142-S147.
18. John, B. A., Jalal, K. C. A., Zaleha, K., Armstrong, P., & Kmaruzzaman, B. Y. (2011). Effects of blood extraction on the mortality of Malaysian horseshoe crabs (*Tachypleus gigas*). *Marine and freshwater behaviour and physiology*, 44(5), 321-327.
19. Mohamamad, A., & Jalal, K. C. A. (2018). Macrobenthic diversity and community composition in the Pahang Estuary, Malaysia. *Journal of Coastal Research*, 82(SI), 206-211.
20. Kassim, Z., John, A., Chin, L. K., Zakaria, N. F., & Asgnari, N. H. (2014). Sustainable technique for selected live feed culture. *Sustainable aquaculture techniques*, 105-133.

21. Zaleha, K., Hazwani, I., Hamidah, H. S., Kamaruzzaman, B. Y., & Jalal, K. C. A. (2011). Effect of salinity on the egg hatching and Early Larvae of Horseshoe Crab *Tachypleus gigas* (Muller, 1785) in laboratory culture.
22. Amin, N. (2009). Bacterial pollution in molluscs arch clam, *Orbicularia orbiculata* and blood cockle, *Anadara granosa* of Pahang estuary, Malaysia. *Journal of Biological Sciences*.
23. AMBAK, & JALAL. (1998). Habitat utilization by the tropical fish community in the man-made Lake Kenyir, Malaysia. *Fisheries Management and Ecology*, 5(2), 173-176.
24. Salleh, S. M., Nishizawa, H., Sah, S. A., Chowdhury, A. J., & Rusli, M. U. (2021). Sand particle size influences nest site selection of green turtles (*Chelonia mydas*) differently in east and west peninsular Malaysia. *Herpetological Conservation and Biology*, 16(3), 671-680.
25. Abidin, Z. A. Z., Chowdhury, A. J. K., Malek, N. A., & Zainuddin, Z. (2018). Diversity, antimicrobial capabilities, and biosynthetic potential of mangrove actinomycetes from coastal waters in Pahang, Malaysia. *Journal of Coastal Research*, 82(SI), 174-179.
26. Jalal, K. C., Kamaruzzaman, B. Y., Arshad, A., Ara, R., & Rahman, M. F. (2012). Diversity and distribution of fishes in tropical estuary Kuantan, Pahang, Malaysia. *Pakistan journal of biological sciences: PJBS*, 15(12), 576-582.
27. John, B. A., Kamaruzzaman, B. Y., Jalal, K. C. A., & Zaleha, K. (2011). Hydrology of the horseshoe crab nesting grounds at Pahang coast, Malaysia.
28. Kamaruzzaman, B. Y., Waznah, A. S., Ong, M. C., Shahbudin, S., & Jalal, K. C. A. (2009). Variability of organic carbon content in bottom sediment of Pahang river estuary, Pahang, Malaysia.
29. Azratul, A. N. M. D., John, A., Kamaruzzaman, B., Hassan Sheikh, B. Y., Jalal, K. C. A., & Noor Faizul, H. N. (2017). Biomonitoring selected heavy metal concentration in *Nerita* Sp. collected from tanjung lumpur mangrove forest. *Environment & Ecosystem Science*, 1(1), 4-7.
30. John, A., Kumar, C. P., Lyla, P. S., Khan, A. S., & Jalal, K. C. A. (2010). DNA barcoding of *Lates calcarifer* (Bloch, 1970). *Res J Biol Sci*, 5(6), 414-419.
31. Abdurahman, S. W., Ambak, M. A., Sheriff, S. M., Mohamed, A. A., & Chowdhury, A. J. K. (2016). Morphological variations of *plicofollis* species (Siluriformes: Ariidae) in Peninsular Malaysia: An insight into truss network approach. *Sains Malaysiana*, 45(1), 1-7.
32. Jalal, K. C. A., Faizul, H. N., Naim, M. A., John, B. A., & Kamaruzzaman, B. Y. (2012). Studies on water quality and pathogenic bacteria in coastal water Langkawi, Malaysia. *Journal of environmental biology*, 33(4), 831.
33. Chowdhury, A. J. K., John, A., Abdullah, R., Musa, N., & Ashraf, M. A. (2021). Impact of COVID-19 on aquaculture and fisheries in ASEAN countries: some aspects of challenges, mitigations for future strategies in Malaysia. *Desalination and water treatment*, 241, 331-339.

34. Rahman, S. A., Zambry, H., Basha, S., Kamarzaman, S., & Chowdhury, A. J. K. (2013). The potential role of Red Tilapia (*Oreochromis niloticus*) scales: allergic reaction test in mice. *Journal of Applied Pharmaceutical Science*, 3(10), 045-050.
35. Rozihan, M., Ismail, E., John, B. A., Jalal, K. C. A., & Mohd-Adnan, A. (2013). Genetic diversity of horseshoe crab (*Tachypleus gigas*) in Malaysia revealed using microsatellite markers. *Asian Journal of Animal and Veterinary Advances*, 8(1), 63-72.
36. Jalal, K. C. A., Akbar John, B., Habab, M., Mohd, A. Y., & Kamaruzzaman, B. Y. (2013). Bioaccumulation of selected metals in fresh water Haruan fish (*Channa striatus*) collected from Pahang River basin, Malaysia.
37. Maah, M. J. (2011). Study of biosorptive potential in the peel of *Citrus reticulata*, *Punica granatum*, *Daucus carota* and *Momordica charantia*. *African Journal of Biotechnology*.
38. Jalal, K. C. A., Md. Zahangir Alam, M. Z. A., Muyibi, S. A., & Jamal, P. (2005). Isolation and purification of bacterial strains from treatment plants for effective and efficient bioconversion of domestic wastewater sludge.
39. Lei, Y., Wu, Y., & Chowdhury, A. J. K. (2018). Multi-target tracking algorithm in intelligent transportation based on wireless sensor network. *Open Physics*, 16(1), 1000-1008.
40. Salleh, S. M., Sah, S. A. M., & Chowdhury, A. J. K. (2018). Assessing nesting status of green turtles, *Chelonia mydas* in Perak, Malaysia. *Tropical Life Sciences Research*, 29(1), 155.
41. Kudus, K., Grasian, I., Madasamy, S., & John, A. (2017). Immunomodulatory effect of alginic acid from brown seaweed *sargassum wightii* on disease resistance in *penaeus monodon*. *Journal Clean WAS (JCleanWAS)*, 1(1), 26-29.
42. Jalal, K. C. A., Akbar John, B., Kamaruzzaman, B. Y., & Kathiresan, K. (2012). Emergence of Antibiotic Resistant Bacteria from Coastal Environment-A Review. *Antibiotic Resistant Bacteria-A Continuous Challenge in the New Millennium*. InTech, 143-158.
43. Kamaruzzaman, B. Y., Siti Waznah, A., Shahbudin, S., Jalal, K. C. A., & Ong, M. C. (2010). The temporal variation of organic carbon during the pre-monsoon and post-monsoon seasons in Pahang river-estuary, Pahang, Malaysia. *Oriental Journal of Chemistry*, 26(4), 1309.
44. Salleh, S. M., Nishizawa, H., Sah, S. A. M., & Chowdhury, A. J. K. (2020). Reproductive seasonality and environmental effects in green turtle (*Chelonia mydas*) nesting at Penang Island, Malaysia. *Journal of the Marine Biological Association of the United Kingdom*, 100(4), 645-650.
45. Abidin, Z. A. Z., & Chowdhury, A. J. K. (2018). Heavy metals and antibiotic resistance bacteria in marine sediment of Pahang coastal water. *Journal Clean WAS*, 2(1), 20-22.
46. Jalal, K. C. A., Zaima Azira, Z. A., Nor Hafizah, Z., Rahman, M. M., Kamaruzzaman, B. Y., & Noor Faizul, H. N. (2014). Carotenoid contents in anoxygenic phototrophic purple bacteria, *Marichromatium* sp. and *Rhodopseudomonas* sp. of tropical aquatic environment, Malaysia.

47. Mohd Zahir, M. S., Akbar John, B., Kamaruzzaman, B. Y., Jalal, K. C. A., Shahbudin, S., Mohd Fuad, M., ... & Anies Aznida, M. (2012). The distribution of selected metals in the surface sediment of Langkawi coast, Malaysia.
48. Abidin, Z. A. Z., Badaruddin, P. N. E., & Chowdhury, A. J. K. (2020). Isolation of heavy metal resistance bacteria from lake sediment of IIUM, Kuantan. *Desalination and water treatment*, 188, 431-435.
49. Kamarudin, M. K. A., Abd Wahab, N., Samah, M. A. A., Baharim, N. B., Mostapa, R., Umar, R., ... & Bati, S. N. A. M. (2020). Potential of field turbidity measurements for computation of total suspended solid in Tasik Kenyir, Terengganu, Malaysia. *Desalination and Water Treatment*, 187, 11-16.
50. Jalal, K. C. A., Kamaruzzaman, Y., Fairuz, A., Akbar, B., Shahbudin, S., & Faridah, Y. (2010). Bacterial communities in Kuantan estuary of Pahang Malaysia.
51. Mustapha, S. N., John, A., Sheikh, H., Chowdhury, A. J. K., & Yunus, K. (2020). Acute-lethal toxicity test on juvenile *Oreochromis niloticus* exposed to Piper betle extract under static exposure. *Ecofeminism and Climate Change*, 1(2), 79-87.
52. Mahmud, N. S., Abdullah, S. Z., Jalal, K. C. A., Rimatulhana, R., & Amal, M. N. (2019). Assessment of Bacteria and Water Quality Parameters in Cage Cultured *Pangasius hypophthalmus* in Temerloh, Pahang River, Malaysia. *Nature Environment & Pollution Technology*, 18(5), 1479.
53. Sheikh, H. I., Kamaruzzaman, B. Y., John, A. B., Zaleha, K., & Ichwan, S. J. (2019). Spermiogram of wild and captive malaysian horseshoe crab (*Tachyplesus gigas*) from Pantai Balok, Kuantan, Pahang, Malaysia. *Sains Malaysiana*, 48(2), 325-328.
54. Abidin, Z. Z., Malek, N. A., Zin, N. M., & Chowdhury, A. J. K. (2020). Rare Actinomycetes from Kuantan Mangrove Forest Sediment. *Clean WAS*, 4, 79-83.
55. Nordin, N. F. H., Mahassan, T. S. H. T., & Chowdhury, A. J. K. (2018). Bacterial population study in oil-contaminated and uncontaminated soils. *Journal Clean WAS (JCleanWAS)*, 2(2), 6-9.
56. Zhao, Q. Q., Chen, M. Y., He, R. L., Zhang, Z. F., & Ashraf, M. A. (2016). Review on antibacterial characteristics of bridge engineering biomaterials. *Saudi Journal of Biological Sciences*, 23(1), S137-S141.
57. Kumar, C. P., John, B. A., Khan, S. A., Lyla, P. S., Kamaruzzam, B. Y., & Jalal, K. C. A. (2013). Cultivable marine bacterial isolates from a sponge *Hyattella cribriformis*. *Journal of Biological Sciences*, 13(1), 26-32.
58. Kamaruzzaman, B. Y., Shuhada, N. T., Zahir, M. S., Akbar John, B., Shahbudin, S., Jalal, K. C. A., ... & Goddard, J. S. (2011). Concentrations of lead, copper and zinc in the bottom sediments of Tuba Island waters of Langkawi, Malaysia. *Oriental Journal of Chemistry*, 27(2), 505.
59. Ab Wahab, S. U. K., Samah, M. A. A., Sabuti, A. A., Yunus, K., Chowdhury, A. J. K., John, A., ... & Hamid, A. A. A. (2020). Environmental forensic study: tracing of pollution sources using

- environmetric technique in Balok and Tunggak Rivers near Gebeng industrial area, Kuantan, Pahang, Malaysia. *Desalination and Water Treatment*, 191, 118-125.
60. Nelson, B. R., John, A., Zhong, J. H., & Jalal, K. C. A. (2020). Membrane retention potential of *Tachypleus gigas* during early embryogenesis. *Desalination and Water Treatment*, 187, 17-23.
61. Nazirah Hamzah, N., Ferdosh, S., Islam Sarker, M. Z., Ghafoor, K., Yunus, K., Jalal Khan Chowdhury, A., & Abdul Bari, N. A. (2019). Biological activities and extraction technologies of *Phoenix dactylifera*: A review. *The Natural Products Journal*, 9(1), 3-13.
62. Wahab, S. U. K. A., Shaibullah, S. H., Samah, M. A. A., & Aris, M. S. M. (2016). An assessment of surface water quality and heavy metals involving the rare earth elements in Sungai Tunggak and Sungai Balok, Gebeng, Kuantan, Pahang. *Journal of Malaysian Critical Metals*, 1, 11-23.
63. Hassan, A., Ismail, T. H. T., Saari, M. Y., & Samah, M. A. A. (2015). Public response to the rare earth industries in Malaysia. *Procedia Environmental Sciences*, 30, 62-67.
64. Akbar, J., Prasannakumar, C., Lyla, P. S., Ajmal Khan, S., & Jalal, K. C. A. (2010). DNA barcoding of *Lates calcarifer* (Bloch, 1970). *Res. J. Biol. Sci*, 5(6), 414-419.
65. Satyanarayana, B., Raman, A. V., Zhang XiuYing, Z. X., Feng XueZhi, F. X., & Dehairs, F. (2004). Application of GIS in the preparation of species distributional maps for *Coringa* mangroves based on ground truth data.
66. Wang, X., Peng, M., Wang, C., Chowdhury, A. J. K., & Jalal, A. (2019). Effect of lime-bone ratio on compressive strength and void fraction of recycled green ecological concrete. *Nature environment & pollution technology*, 18(5), 1579-1583.
67. Roslan, M. A. M., Abidin, Z. A. Z., & Omar, S. M. (2016). Screening of ligninase-producing bacteria from south east Pahang peat swamp forest soil. *Malaysian Journal of Microbiology*, 433-437.
68. Abidin, Z. A. Z., Ahmad, A., Usup, G., & Chowdhury, A. J. K. (2021). Marine actinomycetes from Malaysia marine environments with antagonistic potential. *Desalin Water Treat*, 219, 51-59.
69. Shahbudin, S., Hafiz, Z. H., John, B. A., Kamaruzzaman, B. Y., & Jalal, K. C. A. (2011). Distribution and Diversity of Corals on Artificial Reefs at Pasir Akar and Teluk Kalong, Redang Island, Malaysia. *Journal of Applied Sciences*, 11(2), 379-383.